

RAILINC, AGENT

SUPPLEMENT 5

TO

FREIGHT TARIFF RIC 6007-L

Supplements 1, 2, 3, 4 and 5 contain all changes.

MILEAGE ALLOWANCES AND RULES GOVERNING

THE HANDLING OF AND THE PAYMENT OF MILEAGE

ALSO CHARGES

ON

**CARS OF PRIVATE OWNERSHIP
AS DEFINED IN ITEMS 25 AND 400**

BY

RAILROADS PARTIES TO THIS TARIFF

For List of Participating Carriers, see Item 2.10.

This tariff is also applicable on intrastate traffic except where expressly provided to the contrary in connection with particular items.

ISSUED JULY 25, 2001

EFFECTIVE AUGUST 1, 2001

ISSUED BY
RAILINC, AGENT
7001 WESTON PARKWAY, SUITE 200
CARY, NC 27513

Copyright 2001 (Pending)
By RAILINC, Agent

SUPPLEMENT 5 TO TARIFF RIC 6007-L

ITEM 2.20

CUMULATIVE INDEX OF NEW OR CHANGED ITEMS

New Items added in supplements and items in the original tariff which have been amended in supplements are listed below with reference to the supplement in which such items may be found. (See Item 75 for Method of Cancellation).

ITEM	SUP	ITEM	SUP
2.20.....	4		
192-A.....	4		
504.....	3		
505-A.....	3		
542.....	2		
616-A.....	4		
620-B.....	5		
630-A.....	5		

SUPPLEMENT 5 TO TARIFF RIC 6007-L

**SECTION 2
EXCEPTIONS TO APPLICATION AND RULES
APPLIES ON CARS OTHER THAN TANK CARS**

↓ ITEM 620-B

**MILEAGE RATE ALLOWANCES
(APPLIES ONLY ON CARS OTHER THAN TANK CARS)
(SEE NOTES 3 AND 4)**

TYPE OF CAR	DESIGNATING SYMBOLS (SEE NOTE 1)(FOR EXPLANATION OF SYMBOLS, SEE ITEMS 625 TO 650, INCLUSIVE) (See Note 1)	MILEAGE RATE ALLOWANCE IN CENTS PER LOADED AND EMPTY MILE (except as noted)
FLAT	"FD", "FW"	4.0
	"FM" of 200,000 lb and over nominal capacity	4.0
	"FMS" of 280,000 lb and over nominal capacity equipped with permanent chain tie-down devices	37.6 <u>1</u>
GONDOLA	"GA", "GD", "GH", "GS", "GT", "GW" (See Note 2)	1.5
	"GB" (See Note 2)	0.6 <u>6</u> (6 mills)
HOPPER	"HFA", "HK", "HM", "HMA", "HT", "HTA" (See Note 2)	3.8
REFRIGERA- TOR	"RB", "RBL"	27.5 <u>2</u>
	"RB", "RBL"	31.3 <u>3</u>
	"RP", "RPL"	12.0
	"RPC"	24.0 <u>1</u>
	"RC"	27.5 <u>4</u>
	"RC"	27.5 <u>2-5</u>
	"RC"	31.3 <u>3-5</u>
	"RC"	27.5 <u>2↓</u>
"RC"	31.3 <u>3↓</u>	
STOCK	"SC", "SM"	2.3
SPECIAL	"LM"	5.5
	"LP"	1.5
	"LF"	12.0
	"LG"	5.5
	"LU"	28.2 <u>2</u>
	"LU"	32.2 <u>3</u>
	"LS"	4.0
"LRC"	5.0	
ALL OTHER FREIGHT CARS	0.6 <u>6</u> (6 mills)

EXPLANATION OF NOTES

- Designating symbols (mechanical designations) will be assigned to car owner or lessee by the Secretary, Technical Services, Association of American Railroads, upon written application.
- Mileage allowances named will also apply on cars carrying letters "R" and "S" affixed to the foregoing symbols.
- The mileage allowances published herein are not applicable to cars bearing reporting marks ABOX, GONX and RBOX.
- The provisions of this item are not applicable for account CSXT.

EXPLANATION OF REFERENCE MARKS

- Applies per actual loaded mile only.
- Mileage Rate Allowance in cents per actual loaded mile.
- Mileage Rate Allowance in cents per short route loaded mile.
- Mileage rate allowance in cents per actual loaded mile for account of UP.
- Applicable only for account of BNSF, CN, CSP.
- Mileage Rate Allowance will not apply via or in connection with CPRS.

▲ ITEM 630-A

REFRIGERATOR CAR TYPE CLASS "R"

1. Definition and Designating Symbols are as follows:

▲ "RB" –Bunkerless refrigerator cars with or without ventilating devices and with or without device for attaching portable heaters. Constructed with insulation in side ends, floor and roof to meet maximum UA factor requirement of 250 BTU/F/Hour for 50 foot car and 3000 BTU/F/Hour for 60 foot cars ordered new after March 1, 1984. Note: Cars built or rebuilt prior to March 1, 1984, must have been constructed with a minimum of 3 in. of insulation in the sides and ends and 3 ½ in. in floor and roof based on the insulation requirements given in AAR Standard S-2010 or a thickness reduced in proportion to the thermal conductivity of the insulation.

"RBL"-Car similar in construction to an "RB" type car, but equipped in addition with adjustable loading or stowing device. (See Note 1)

"RP"-Mechanical Refrigerator car equipped with or without means of ventilation and provided with apparatus for furnishing protection against heat and/or cold. Apparatus operated by power other than from the car axle.

"RPC"-Mechanical refrigerator car similar in design to an "RP" but equipped with permanently affixed container(s).

"RPL"-Mechanical Refrigerator. Similar to "RP" but equipped in addition with adjustable loading or stowing devices.

▲ "RC" – Refrigerator car similar to an "RB" car using a cryogen to produce temperatures to transport frozen commodities.

"RC"-A cryogenic powered co2 refrigerator car. (Applicable only for account of UP).

"RC"-Refrigerator car similar to an "RB" car using a cryogen to produce temperatures to transport frozen commodities. (Applicable only for account of AM, BNSF, CN, KCS and UP).

EXPLANATION OF NOTE

1. Cars equipped with interior side rails only, built new, rebuilt or classified on and after January 1, 1966, in order to qualify for the "RBL" designation, shall have a minimum of four (4) useable side rails on each wall of car each extending from doorway to approximately four (4) feet from end of car.

EXPLANATION OF REFERENCE MARKS

↓ Denotes 'Reduction', new information or something given to the shipper

▲ Change in wording which results in neither an increase nor reduction in charges

(RIC 5)